



Made To Order
Cut To Length
Stocking Program Available

20-10 Control Cable

| 14 AWG | | | | | |
|-------------|-------------|-------------------------|--------------|-----------------|--------------|
| Part Number | #Conductors | Overall PVC Jacket (in) | Nom. OD (in) | Weight (Copper) | Weight (Net) |
| 2C142010-F | 2 Flat | 0.045 | 0.23 x 0.37 | 25 Lbs/Mft | 65 Lbs/Mft |
| 3C142010 | 3 | 0.045 | 0.39 | 38 Lbs/Mft | 90 Lbs/Mft |
| 4C142010 | 4 | 0.045 | 0.43 | 51 Lbs/Mft | 110 Lbs/Mft |
| 5C142010 | 5 | 0.045 | 0.47 | 64 Lbs/Mft | 135 Lbs/Mft |
| 6C142010 | 6 | 0.045 | 0.51 | 78 Lbs/Mft | 155 Lbs/Mft |
| 7C142010 | 7 | 0.045 | 0.51 | 90 Lbs/Mft | 170 Lbs/Mft |
| 8C142010 | 8 | 0.06 | 0.59 | 104 Lbs/Mft | 215 Lbs/Mft |
| 9C142010 | 9 | 0.06 | 0.62 | 116 Lbs/Mft | 245 Lbs/Mft |
| 10C142010 | 10 | 0.06 | 0.68 | 130 Lbs/Mft | 260 Lbs/Mft |
| 11C142010 | 11 | 0.06 | 0.68 | 143 Lbs/Mft | 280 Lbs/Mft |
| 12C142010 | 12 | 0.06 | 0.7 | 154 Lbs/Mft | 295 Lbs/Mft |
| 13C142010 | 13 | 0.06 | 0.71 | 169 Lbs/Mft | 320 Lbs/Mft |
| 14C142010 | 14 | 0.06 | 0.73 | 182 Lbs/Mft | 335 Lbs/Mft |
| 15C142010 | 15 | 0.06 | 0.77 | 195 Lbs/Mft | 370 Lbs/Mft |
| 16C142010 | 16 | 0.06 | 0.77 | 208 Lbs/Mft | 380 Lbs/Mft |
| 17C142010 | 17 | 0.06 | 0.81 | 221 Lbs/Mft | 405 Lbs/Mft |
| 18C142010 | 18 | 0.06 | 0.81 | 234 Lbs/Mft | 420 Lbs/Mft |
| 19C142010 | 19 | 0.06 | 0.81 | 244 Lbs/Mft | 435 Lbs/Mft |
| 20C142010 | 20 | 0.08 | 0.9 | 260 Lbs/Mft | 490 Lbs/Mft |
| 23C142010 | 23 | 0.08 | 0.94 | 299 Lbs/Mft | 575 Lbs/Mft |
| 25C142010 | 25 | 0.08 | 0.99 | 325 Lbs/Mft | 605 Lbs/Mft |
| 27C142010 | 27 | 0.08 | 1.01 | 351 Lbs/Mft | 665 Lbs/Mft |
| 29C142010 | 29 | 0.08 | 1.02 | 377 Lbs/Mft | 705 Lbs/Mft |
| 31C142010 | 31 | 0.08 | 1.07 | 403 Lbs/Mft | 750 Lbs/Mft |
| 32C142010 | 32 | 0.08 | 1.09 | 416 Lbs/Mft | 775 Lbs/Mft |
| 37C142010 | 37 | 0.08 | 1.13 | 481 Lbs/Mft | 840 Lbs/Mft |

*Tables are illustrative and not exhaustive. Please consult the factory for more information.



Made To Order
Cut To Length
Stocking Program Available

12 AWG

| Part Number | #Conductors | Overall PVC Jacket (in) | Nom. OD (in) | Weight (Copper) | Weight (Net) |
|-------------|-------------|-------------------------|--------------|-----------------|---------------|
| 2C122010-F | 2 Flat | 0.045 | 0.25 x 0.41 | 40 Lbs/Mft | 80 Lbs/Mft |
| 3C122010 | 3 | 0.045 | 0.43 | 61 Lbs/Mft | 120 Lbs/Mft |
| 4C122010 | 4 | 0.045 | 0.48 | 81 Lbs/Mft | 150 Lbs/Mft |
| 5C122010 | 5 | 0.045 | 0.52 | 102 Lbs/Mft | 180 Lbs/Mft |
| 6C122010 | 6 | 0.06 | 0.6 | 126 Lbs/Mft | 220 Lbs/Mft |
| 7C122010 | 7 | 0.06 | 0.6 | 143 Lbs/Mft | 250 Lbs/Mft |
| 8C122010 | 8 | 0.06 | 0.65 | 168 Lbs/Mft | 290 Lbs/Mft |
| 9C122010 | 9 | 0.06 | 0.69 | 184 Lbs/Mft | 330 Lbs/Mft |
| 10C122010 | 10 | 0.06 | 0.75 | 210 Lbs/Mft | 360 Lbs/Mft |
| 11C122010 | 11 | 0.06 | 0.75 | 231 Lbs/Mft | 385 Lbs/Mft |
| 12C122010 | 12 | 0.06 | 0.78 | 245 Lbs/Mft | 405 Lbs/Mft |
| 13C122010 | 13 | 0.06 | 0.79 | 273 Lbs/Mft | 445 Lbs/Mft |
| 14C122010 | 14 | 0.06 | 0.82 | 294 Lbs/Mft | 470 Lbs/Mft |
| 15C122010 | 15 | 0.08 | 0.9 | 315 Lbs/Mft | 550 Lbs/Mft |
| 16C122010 | 16 | 0.08 | 0.9 | 336 Lbs/Mft | 560 Lbs/Mft |
| 17C122010 | 17 | 0.08 | 0.95 | 357 Lbs/Mft | 610 Lbs/Mft |
| 18C122010 | 18 | 0.08 | 0.95 | 378 Lbs/Mft | 625 Lbs/Mft |
| 19C122010 | 19 | 0.08 | 0.95 | 388 Lbs/Mft | 640 Lbs/Mft |
| 20C122010 | 20 | 0.08 | 1 | 420 Lbs/Mft | 4685 Lbs/Mft |
| 23C122010 | 23 | 0.08 | 1.04 | 483 Lbs/Mft | 775 Lbs/Mft |
| 25C122010 | 25 | 0.08 | 1.11 | 525 Lbs/Mft | 840 Lbs/Mft |
| 27C122010 | 27 | 0.08 | 1.13 | 567 Lbs/Mft | 900 Lbs/Mft |
| 29C122010 | 29 | 0.08 | 1.14 | 609 Lbs/Mft | 950 Lbs/Mft |
| 31C122010 | 31 | 0.08 | 1.19 | 651 Lbs/Mft | 71015 Lbs/Mft |
| 32C122010 | 32 | 0.08 | 1.21 | 672 Lbs/Mft | 1055 Lbs/Mft |
| 37C122010 | 37 | 0.08 | 1.26 | 777 Lbs/Mft | 1210 Lbs/Mft |

*Tables are illustrative and not exhaustive. Please consult the factory for more information.



Made To Order
Cut To Length
Stocking Program Available

10 AWG

| Part Number | #Conductors | Overall PVC Jacket (in) | Nom. OD (in) | Weight (Copper) | Weight (Net) |
|-------------|-------------|-------------------------|--------------|-----------------|--------------|
| 2C102010-F | 2 Flat | 0.045 | 0.28 x 0.46 | 64 Lbs/Mft | 115 Lbs/Mft |
| 3C102010 | 3 | 0.045 | 0.49 | 97 Lbs/Mft | 165 Lbs/Mft |
| 4C102010 | 4 | 0.06 | 0.57 | 129 Lbs/Mft | 230 Lbs/Mft |
| 5C102010 | 5 | 0.06 | 0.62 | 162 Lbs/Mft | 280 Lbs/Mft |
| 6C102010 | 6 | 0.06 | 0.67 | 192 Lbs/Mft | 320 Lbs/Mft |
| 7C102010 | 7 | 0.06 | 0.67 | 227 Lbs/Mft | 355 Lbs/Mft |
| 8C102010 | 8 | 0.06 | 0.73 | 258 Lbs/Mft | 415 Lbs/Mft |
| 9C102010 | 9 | 0.06 | 0.79 | 292 Lbs/Mft | 475 Lbs/Mft |
| 10C102010 | 10 | 0.08 | 0.89 | 320 Lbs/Mft | 535 Lbs/Mft |
| 11C102010 | 11 | 0.08 | 0.89 | 352 Lbs/Mft | 580 Lbs/Mft |
| 12C102010 | 12 | 0.08 | 0.92 | 389 Lbs/Mft | 615 Lbs/Mft |
| 13C102010 | 13 | 0.08 | 0.94 | 416 Lbs/Mft | 670 Lbs/Mft |
| 14C102010 | 14 | 0.08 | 0.97 | 448 Lbs/Mft | 710 Lbs/Mft |
| 15C102010 | 15 | 0.08 | 1.02 | 480 Lbs/Mft | 760 Lbs/Mft |
| 16C102010 | 16 | 0.08 | 1.02 | 512 Lbs/Mft | 800 Lbs/Mft |
| 17C102010 | 17 | 0.08 | 1.07 | 2544 Lbs/Mft | 870 Lbs/Mft |
| 18C102010 | 18 | 0.08 | 1.07 | 576 Lbs/Mft | 895 Lbs/Mft |
| 19C102010 | 19 | 0.08 | 1.07 | 616 Lbs/Mft | 920 Lbs/Mft |
| 20C102010 | 20 | 0.08 | 1.13 | 640 Lbs/Mft | 980 Lbs/Mft |
| 23C102010 | 23 | 0.08 | 1.18 | 736 Lbs/Mft | 1125 Lbs/Mft |
| 25C102010 | 25 | 0.08 | 1.26 | 800 Lbs/Mft | 1250 Lbs/Mft |
| 27C102010 | 27 | 0.08 | 1.28 | 864 Lbs/Mft | 1330 Lbs/Mft |
| 29C102010 | 29 | 0.08 | 1.3 | 928 Lbs/Mft | 1370 Lbs/Mft |
| 31C102010 | 31 | 0.08 | 1.36 | 992 Lbs/Mft | 1510 Lbs/Mft |
| 32C102010 | 32 | 0.08 | 1.38 | 1024 Lbs/Mft | 1565 Lbs/Mft |
| 37C102010 | 37 | 0.08 | 1.44 | 1184 Lbs/Mft | 1755 Lbs/Mft |

*Tables are illustrative and not exhaustive. Please consult the factory for more information.